

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,799,077
Issued: September 21, 2010
Name of Patentee: ConforMIS, Inc.

Title of Invention: Minimally Invasive Joint Implant with 3-Dimensional Geometry Matching the Articular Surfaces

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))

1. Attached is PTO/SB/44 (also Form PTO-1050) in a form suitable for printing.
2. The exact page, claim and line number where the errors are shown correctly in Applicant's Response to the Office Action of August 6, 2009, filed on December 1, 2009 are:

Page 2, claim 2, line 2;
Page 5, claim 29, line 1;
Page 5, claim 30, line 1;
Page 5, claim 31, line 1;
Page 5, claim 32, line 1;
Page 5, claim 33, line 1;
Page 6, claim 38, line 1;
Page 6, claim 39, line 1;
Page 6, claim 40, line 1; and
Page 7, claim 41, line 1.

3. Please send the Certificate to:

Name: Alexander J. Smolenski, Jr.
Address: SUNSTEIN KANN MURPHY & TIMBERS LLP
125 Summer Street
Boston, MA 02110-1618
US

Date: December 7, 2010

/Alexander J. Smolenski, Jr., #47,953/
Alexander J. Smolenski, Jr., Attorney of Record
Reg. No. 47,953

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO. : 7,799,077

APPLICATION NO.: 10/681,749

ISSUE DATE : September 21, 2010

INVENTOR(S) : Philipp Lang, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Col. 42, line 62
insert a period after "ankle"

In Col. 44, line 61
replace "claim"
with --claims--

In Col. 44, line 63
replace "claim"
with --claims--

In Col. 45, line 1
replace "claim"
with --claims--

In Col. 45, line 4
replace "claim"
with --claims--

In Col. 45, line 7
replace "claim"
with --claims--

In Col. 47, line 7
replace "claim"
with --claims--

In Col. 47, line 10
replace "claim"
with --claims--

MAILING ADDRESS OF SENDER (Please do not use customer number below):**SUNSTEIN KANN MURPHY & TIMBERS LLP**

125 Summer Street

Boston, MA 02110-1618

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 2 of 2

PATENT NO. : 7,799,077

APPLICATION NO.: 10/681,749

ISSUE DATE : September 21, 2010

INVENTOR(S) : Philipp Lang, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Col. 47, line 14
replace "claim"
with --claims--

In Col. 47, line 18
replace "claim"
with --claims--